

Safety Data Sheet SMC 0610-xx

Version 1.0 Creation Date 06/2017 Page 1/7

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier					
Trading name :	SMC 0610-xx				
Substance name :	SMC, composite material made from hydrocarbon / glass fiber				
CAS No. :	Not applicable				
EC No. :	Not applicable				
Index No. :	Not applicable				
1.2. Relevant identified uses of the	1.2. Relevant identified uses of the substance or mixture and uses advised against				
Relevant identified uses:	SMC : Composite material for molding by compression designed to automobile and construction industry				
	ABMC : Composite material for molding by compression/injection designed to				
	automobile, electric, railroad and construction industry				
1.3. Details of the supplier of the safety data sheet					
Manufacturer/Supplier	M.C.R (Mixt Composites Recyclables)				
Street address	Chemin des Iles Féray				
	BP 94 07302				
	TOURNON SUR RHONE Cedex FRANCE				
Telephone number	+ 33 (0) 4 75 07 18 18				
Telefax	+ 33 (0) 4 75 07 11 77				
Email adress	jean-claude.cicilien@sts.group				
1.4. Emergency telephone number					
Telephone	France : + 33 (0)1 45 42 59 59 (INRS-Orfila)				

2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP)

H315: Corrosion /Irritation, Category 2
H317: Skin Sensitization, Category 1
H319: Serious eye damage/eye irritation, Category 2
H332: Acute Toxicity Inhalation, Category 4
H361d: Reproductive Toxicity, Category 2
H372: Specific Target Organ toxicity – repeated exposure, Category 1

2.2. Label elements

Hazard pictogram(s) :



Signal word :

Danger

	In accordance to reglementation (CE) n°1907/2006(REACH), AnnexII-France
Customised Composites	Safety Data SheetVersion 1.0SMC 0610-xxCreation Date06/201706/2017Page 2/7
Hazard statement(s) :	H315: Corrosion /Irritation, Category 2 H317: Skin Sensitization, Category 1 H319: Serious eye damage/eye irritation, Category 2 H332: Acute Toxicity Inhalation, Category 4 H361d: Reproductive Toxicity, Category 2 H372: Specific Target Organ toxicity – repeated exposure, Category 1
Precautionary statement Prevention	P210: Keep away from heat/sparks/open flames/hot surfaces No smoking. P260: Do not breathe dust/fume/gas/mist/vapours/spray. P264: Wash your hands thoroughly after handling. P 270 : Ne pas manger, boire ou fumer en manipulant ce produit P280: Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement Intervention	 P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P332 + P313: If skin irritation occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash before reuse. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313: If eye irritation persists: Get medical advice/attention P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Precautionary statement Elimination	P501: Dispose of contents/container to local reglementation

2.3. Other hazards

Gas leak or products spreading could easily form flammable mix when temperature reachs flashpoint.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name of the dangerous substance	CAS number	CE number	Concentration [% w/w]	CLP Classification	Specific concentration limit
styrene	100-42-5	202-851-5	> 12,5	Flam.Liq.3 - Repr.2 - AcuteTox.4* - STOTRE1 - SkinIrrit.2 - EyeIrrit.2	-
2-hydroxyethyl methacrylate	868-77-9	212-782-2	< 1	Eyelrrit.2 - SkinIrrit.2 - SkinSens.1	-

Note D: Substances which are susceptible to polymerize or decompose itself are generally put on the market being stabilised. These substances appear with this form in the third section. However some of these substances are put on the market being not stabilised. In this case, the supplier has to put on the label the substance name followed by the mention "not stabilized".

4. FIRST AID MEASURES

4.1. Description of first aid measures

Following inhalation

Quickly protect the person by using an appropriate respiratory protection. In case of respiratory arrest use artificial respiration, keep the person at rest and call a doctor.

	In accordance to reglementation (CE) n°1907/2006(REACH), AnnexII-France
Customised Composites	Safety Data SheetVersion 1.0SMC 0610-xxCreation Date06/201706/2017Page 3/7
Following skin contact	In case of skin contact wash abundantly affected areas with water and soap. Take off soiled clothes (shoes included) and do not worn it again before cleaning. If the irritation remains, see a doctor.
Following eye contact	Clean immediately and abundantly eyes for at least 15 minute. Quickly call a doctor.

Following ingestion	If swallowed do not induce vomiting. Keep the person at rest and quickly call a doctor.
I UNUWING INGESTION	II SWAIIOWED DO HOL IIIDDE VOITILIIS. REED LIE DEISON ALTESLAID QUICKIV CAI A DOLLOI.

4.2. Most important symptoms and effects, both acute and delayed Not determined

4.3. Indication of any immediate medical attention and special treatment needed Not determined

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media	<u>Suitable extinguishing media</u> : Sprayed water, dry chemical or foam fire extinguisher <u>Unsuitable extinguishing media</u> : Do not use extinguisher water near electric source	
5.2. Special hazards arising from the substance or mixture	The fire releases a large and thick smoke.	
5.3. Advice for firefighters	Spay water to cool down fire-exposed areas and protect personnel. If the spreaded product is not on fire, spray water to disperse vapours. Let the fire burns under control or extinguish it with fire extinguisher. Do not evacuate extinguishment products in sewer or rivers.	

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures	Use a suitable personal protection equipment to avoid skin and eyes contact.
6.2. Environmental precautions	Solid matariel : no environmental effect
6.3. Methods and material for containment and cleaning up	The product is too viscous to be pumped. Use shovels to put it in an appropriate container.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling	Manipulate products with caution. Don't use near open flame, heat or ignition source. Do not eat, drink or smoke in work areas. Wash hands after use.
7.2. Conditions for safe storage, including any incompatibilities	Store it in a cool and well-ventilated area and out of direct sunlight. Do not store near open flame, heat or ignition source. The floor has to be non-flammable, impermeable and form a collecting bassin. Storage temperature : 20°C
7.3. Specific end use(s)	The product must be used in closed systems or systems with aspiration.



Safety Data Sheet SMC 0610-xx

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values :

	TWA (8 hours)	STEL (15 minutes)
Styrene	100 mg/m ³ (23,3 ppm)	200 mg/m ³ (46,6 ppm)

8.2. Exposure controls

Appropriate engineering controls	Mechanical dilution ventilation is recommended each time this product is used in a confined space or heated.
Individual protection measures	Eve protection : The wearing of safety spay-proof glasses is recommended. Make sure you have a wash solution for eyes.
	Hand protection: The wearing of chemical products' resistant gloves is recommended. The gloves have to be replace if any degradation signs appear.
	<u>Respiratory protection</u> : When the product concentration reachs the exposure limit values, it is recommended to wear a complete mask with filter;
Environmental exposure controls	Not identified (solid product)

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

 initiation on susie physical and cher	
- Physical state	Doughy/Solid
- Color	Not available
- Odour	Styrene Hydrocarbon
- Odour threshold	0,04 ppm (Styrene)
- pH	Inapplicable
 Melting point/freezing point 	Not available
 Initial boiling point 	Inapplicable
- Flash point	Around 31 °C (styrene) (in a closed cup)
- Evaporation rate	Not available
- Flammability (solid, gas)	Not available
 Upper/lower flammability or 	Lower explosive limit: 1.1 % volume in the air (styrene)
explosive limits	Upper explosive limite: 3.1 % volume in the air (styrene)
- Vapour pressure	0.6 kPa at 20°C (styrene)
- Vapour density	> 1 (/air)
- Relative density	Not available
- Solubility in water	Insoluble
- Partition coefficient: n-	Not available
octanol/water	
- Auto-ignition temperature	> 450 °C (styrene)
 Decomposition temperature 	Not identified
- Viscosity	Not identified
- Explosive properties	No
 Oxidising properties 	No

9.2. Other information



Safety Data Sheet SMC 0610-xx

Version 1.0 Creation Date 06/2017 Page 5/7

Note : the preparation's flashpoint is undetermined. The indicated value is the flashpoint of the styrene whose the flashpoint is the lowest.

10. STABILITY AND REACTIVITY

10.1. Reactivity	No information available
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	Risk of polymerization
10.4. Conditions to avoid	No information available
10.5. Incompatible materials	Strong oxidizer
10.6. Hazardous decomposition products	Harmful smoke

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity	By inhalation : Concentrations of vapours higher than those recommended in the exposure threshold can be irritating for the eyes and the respiratory tract, cause headache, can be anesthetic and have other effects on central nervous system. In case of a very strong inhalation a coma can occur.
Skin corrosion/irritation	Frequent or prolonged contacts can degrease or dry out the skin resulting in a discomfort and dermatitis.
Serious eye damage/irritation	Causes ocular tissues' damage if the product is not quickly removed.
Respiratory or skin sensitisation Germ cell mutagenicity	No information available No information available
Carcinogenicity	According to the available data the classification criterias are not reached.
Reproductive toxicity	Reproductive Toxicity, Category 2
STOT-single exposure	No information available
STOT-repeated exposure	Repetead inhalation of vapours can cause eyes and respiratory tract irritation, headache, fatigue, dizziness and nausea.
STOT-repeated exposure	Accidental aspiration in low quantity of the product in the lungs can cause bronchopneumonia or pulmonary oedema.
Other information	Avoid exposition of pregnant women

12. ECOLOGICAL INFORMATION

No information available No information available No information available No information available



Safety Data Sheet SMC 0610-xx

12.5. Results of PBT and vPvB assessment	No information available
12.6. Other adverse effects	<u>WGK</u> *: Styrene : 2

Limestone : 0

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods Product : This product cannot be throw out in landfills, sewers, gutters, natural strams or rivers. This product can be burnt in a suitable installtion.

<u>Uncleaned packaging</u> : Empty containers have to be taken back for repackaging or destruction by authorised companies.

The treatment has to be done in compliance with national and local regulations.

14. TRANSPORT INFORMATION

	Land Transport	Waterway	Maritime Tranport	Air Transport (ICA	O-TI / IATA-DGR)	
14.1. UN number	(ADK/RID)	ADR/RID) Transport (ADN) (IMDG) Inapplicable		3077		
14.2. UN proper shipping name	Inapplicable			ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
14.3. Transport hazard class(es)	Inapplicable			9		
14.4. Packing group		Inapplicable				
14.5. Environmental hazards		Oui				
14.6. Special precautions for user	Inapplicable 3077, environmentally hazardous substance, solid, n.o.s., 9, III					
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		Inapplicable			-	
14.8. Label		Inapplicable				
14.9. Limited quantity		Inapplicable		Aéronef pass Packing instruction	ager et cargo Net quantity max/package	
				911	unlimited	
14.10. Other infomation		Inapplicable		Specific provisions: A 97		

15. REGULATORY INFORMATION

International and national reglementations: Not identified

environmental regulations/legislation specific for the substance or mixture

15.1. Safety, health and

Date d'impression: 02/07/20208:40



Safety Data Sheet SMC 0610-xx

Version 1.0 Creation Date 06/2017 Page 7/7

15.2. Chemical Safety Assessment This substance does not be subject to an evaluation from the chemical safety.

16. OTHER INFORMATION

16.1. Indication of changes

16.2. Abbreviations and acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways/ ADNR : Regulation for the Carriage of Dangerous Substances on the Rhine ADR :European Agreement concerning the International Carriage of Dangerous Goods by Road RID : Regulations concerning the international railway transport of dangerous goods CAS: Nombre Chemical Abstract Service CLP: Classification, étiquetage et emballage EC: European Commission IATA: International Air Transport Association IBC: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk IMDG: Code maritime international des marchandises dangereuses UN: United Nations WGK : Wassergefährdungsklasse

16.3. Advices related to any appropriate formation for workers

The informations contained in this safety data sheet is based on our current knowledge from the software *Colibrisk* created by the « Fédération régionale des services de santé au travail des Pays de la Loire » and are provided according to current european directives. These informations are intended to characterize the product and help to give safety instruction. However this document does not provide no expressed or implied guarantees about the product's properties

The study report from the 2 may 2013, made by the, réalisé par la « Direction des Services aux entreprises et de la Certification (DSC) » and the « Unité Produits et Nouvelles Technologies (PNEO) » allow us to determine about the classification « flammable solid substance». Then this classification only affects the ABMC products. This choice is supported too by the « Compte-rendu de visite périodique du conseiller à la sécurité pour le transport de marchandises dangereuses » made by Bureau Veritas the 06/09/2017

Only the dangerous substances whose the concentration is higher than 0,1 % are inquired in the section 3 «COMPOSITION/INFORMATION ON INGREDIENTS ».