

Version 1.0 Creation Date 06/2017 Page 1/7

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trading name : SMC 0135-xx

Substance name : SMC, composite material made from hydrocarbon / glass fiber

CAS No. : Not applicable EC No. : Not applicable Index No. : Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: SMC: Composite material for molding by compression designed to automobile and

construction industry

ABMC: Composite material for molding by compression/injection designed to

automobile, electric, railroad and construction industry

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier M.C.R (Mixt Composites Recyclables)

Street address Chemin des Iles Féray

BP 94 07302

**TOURNON SUR RHONE Cedex FRANCE** 

Telephone number + 33 (0) 4 75 07 18 18 Telefax + 33 (0) 4 75 07 11 77

Email adress jean-claude.cicilien@sts.group

1.4. Emergency telephone number

Telephone France: + 33 (0)1 45 42 59 59 (INRS-Orfila)

## 2. Hazards identification

#### 2.1. Classification of the substance or mixture

#### 2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP)

H315 : Skin Corrosion /Irritation Cat. 2

H319: Serious eye damage/eye irritation Cat. 2

H332 : Acute Toxicity Inhalation Cat. 4 H361d : Reproductive Toxicity Cat. 2

H372: Specific Target Organ (hearing organs) toxicity - repeated exposure Cat. 1

#### 2.2. Label elements

Hazard pictogram(s):





Signal word : Danger



Version 1.0 Creation Date 06/2017 Page 2/7

Hazard statement(s): H315: Skin Corrosion /Irritation Cat. 2

H319: Serious eye damage/eye irritation Cat. 2

H332 : Acute Toxicity Inhalation Cat. 4 H361d : Reproductive Toxicity Cat. 2

H372: Specific Target Organ (hearing organs) toxicity - repeated exposure Cat. 1

Precautionary statement

Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash your hands thoroughly after handling. P 270: Ne pas manger, boire ou

fumer en manipulant ce produit

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement

Intervention

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P332 + P313: If skin irritation occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash before reuse.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313: If eye irritation persists: Get medical advice/attention

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Precautionary statement

Elimination

P501: Dispose of contents/container to local reglementation

#### 2.3. Other hazards

Gas leak or products spreading could easily form flammable mix when temperature reachs flashpoint.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Name of the dangerous substance	CAS number	CE number	Concentration [% w/w]	CLP Classification	Specific concentration limit
styrene	100-42- 5	202-851- 5	> 12,5	Flam.Liq.3 - Repr.2 - AcuteTox.4* - STOTRE1 - SkinIrrit.2 - EyeIrrit.2	-

**Note D:** Substances which are susceptible to polymerize or decompose itself are generally put on the market being stabilised. These substances appear with this form in the third section. However some of these substances are put on the market being not stabilised. In this case, the supplier has to put on the label the substance name followed by the mention "not stabilized".

### 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

respiratory arrest use artificial respiration, keep the person at rest and call a doctor.

Following skin contact 
In case of skin contact wash abundantly affected areas with water and soap. Take off

soiled clothes (shoes included) and do not worn it again before cleaning. If the

irritation remains, see a doctor.



Version 1.0 Creation Date 06/2017 Page 3/7

Following eye contact Clean immediately and abundantly eyes for at least 15 minute. Quickly call a doctor.

Following ingestion If swallowed do not induce vomiting. Keep the person at rest and quickly call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Not determined

4.3. Indication of any immediate medical attention and special treatment needed

Not determined

#### 5. FIRE-FIGHTING MEASURES

**5.1. Extinguishing media** Suitable extinguishing media: Sprayed water, dry chemical or foam fire

extinguisher

<u>Unsuitable extinguishing media</u>: Do not use extinguisher water near electric

source

5.2. Special hazards arising from

the substance or mixture

The fire releases a large and thick smoke.

**5.3. Advice for firefighters** Spay water to cool down fire-exposed areas and protect personnel. If the

spreaded product is not on fire, spray water to disperse vapours. Let the fire burns under control or extinguish it with fire extinguisher. Do not evacuate

extinguishment products in sewer or rivers.

## 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use a suitable personal protection equipment to avoid skin and eyes contact.

6.2. Environmental precautions

Solid matariel : no environmental effect

6.3. Methods and material for containment and cleaning up

The product is too viscous to be pumped. Use shovels to put it in an appropriate

container.

### 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Manipulate products with caution. Don't use near open flame, heat or ignition source. Do not eat, drink or smoke in work areas. Wash hands after use.

7.2. Conditions for safe storage, including any incompatibilities

Store it in a cool and well-ventilated area and out of direct sunlight. Do not store near open flame, heat or ignition source. The floor has to be non-

flammable, impermeable and form a collecting bassin.

Storage temperature: 20°C

**7.3. Specific end use(s)**The product must be used in closed systems or systems with aspiration.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Version 1.0 Creation Date 06/2017 Page 4/7

#### 8.1. Control parameters

Exposure limit values:

	TWA (8 hours)	STEL (15 minutes)	
Styrene	100 mg/m³ (23,3 ppm)	200 mg/m³ (46,6 ppm)	

8.2. Exposure controls

Appropriate engineering

controls

Mechanical dilution ventilation is recommended each time this product is used

in a confined space or heated.

Individual protection measures <u>Eye protection</u>: The wearing of safety spay-proof glasses is recommended.

Make sure you have a wash solution for eyes.

<u>Hand protection</u>: The wearing of chemical products' resistant gloves is recommended. The gloves have to be replace if any degradation signs appear.

Respiratory protection: When the product concentration reachs the exposure

limit values, it is recommended to wear a complete mask with filter;

Environmental exposure

controls

Not identified (solid product)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

- Physical state Doughy/Solid- Color Not available

Odour
 Odour threshold
 pH
 Melting point/freezing point
 Not available

Melting point/freezing point Not availableInitial boiling point Inapplicable

- Flash point Around 31 °C (styrene) (in a closed cup)

Evaporation rate Not availableFlammability (solid, gas) Not available

- Upper/lower flammability or explosive limit: 1.1 % volume in the air (styrene)
 - Upper explosive limit: 1.1 % volume in the air (styrene)
 - Upper explosive limit: 3.1 % volume in the air (styrene)

- Vapour pressure 0.6 kPa at 20°C (styrene)

- Vapour density
 - Relative density
 - Solubility in water
 - Partition coefficient: n Not available
 Not available

octanol/water

- Auto-ignition temperature
 - Decomposition temperature
 - Viscosity
 -

Explosive properties NoOxidising properties No

#### 9.2. Other information

Note: the preparation's flashpoint is undetermined. The indicated value is the flashpoint of the styrene whose the flashpoint is the lowest.



Version 1.0 Creation Date 06/2017 Page 5/7

## 10. STABILITY AND REACTIVITY

**10.1. Reactivity** No information available

**10.2. Chemical stability** Stable

10.3. Possibility of hazardous

reactions

Risk of polymerization

**10.4. Conditions to avoid**No information available

**10.5. Incompatible materials** Strong oxidizer

10.6. Hazardous decomposition

products

Harmful smoke

## 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Acute toxicity By inhalation: Concentrations of vapours higher than those recommended in

the exposure threshold can be irritating for the eyes and the respiratory tract, cause headache, can be anesthetic and have other effects on central nervous

system. In case of a very strong inhalation a coma can occur.

Skin corrosion/irritation Frequent or prolonged contacts can degrease or dry out the skin resulting in a

discomfort and dermatitis.

Serious eye damage/irritation Causes ocular tissues' damage if the product is not quickly removed.

Respiratory or skin sensitisation

Germ cell mutagenicity

No information available No information available

Carcinogenicity According to the available data the classification criterias are not reached.

Reproductive toxicity Reproductive Toxicity, Category 2

STOT-single exposure No information available

STOT-repeated exposure Repetead inhalation of vapours can cause eyes and respiratory tract irritation,

headache, fatigue, dizziness and nausea.

STOT-repeated exposure Accidental aspiration in low quantity of the product in the lungs can cause

bronchopneumonia or pulmonary oedema.

Other information Avoid exposition of pregnant women

### 12. ECOLOGICAL INFORMATION

**12.1. Toxicity**No information available **12.2. Persistence and**No information available

degradability

12.3. Bioaccumulative potentialNo information available12.4. Mobility in soilNo information available12.5. Results of PBT and vPvBNo information available

assessment



Version 1.0 Creation Date 06/2017 Page 6/7

**12.6. Other adverse effects** WGK \*:

Styrene: 2 Limestone: 0

## 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

<u>Product</u>: This product cannot be throw out in landfills, sewers, gutters, natural strams or rivers. This product can be burnt in a suitable installtion.

<u>Uncleaned packaging</u>: Empty containers have to be taken back for repackaging or destruction by authorised companies.

The treatment has to be done in compliance with national and local regulations.

## 14. TRANSPORT INFORMATION

	Land Transport	Waterway	Maritime Transport (IMDG)	Air Transport (ICA	O-TI / IATA-DGR)
14.1. UN number	(ADR/RID)	Inapplicable	3077		
14.2. UN proper shipping name		Inapplicable	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
14.3. Transport hazard class(es)		Inapplicable	9		
14.4. Packing group		Inapplicable	III		
14.5. Environmental hazards		Inapplicable	Oui		
14.6. Special precautions for user		Inapplicable	3077, environmentally hazardous substance, solid, n.o.s., 9, III		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		Inapplicable			-
14.8. Label		Inapplicable	<b>₹</b>		
14.9. Limited quantity		Inapplicable		Passenger and Packing instruction 911	Cargo Aircraft  Net quantity  max/package  unlimited
14.10. Other infomation	Inapplicable			Specific provisions: A 97	

## 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2. Chemical Safety

International and national reglementations:

Not identified

This substance does not be subject to an evaluation from the chemical safety.

Date d'impression: 01/07/20206:22

**Assessment** 



Version 1.0 Creation Date 06/2017 Page 7/7

## **16. OTHER INFORMATION**

### 16.1. Indication of changes

#### 16.2. Abbreviations and acronyms

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways/

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulations concerning the international railway transport of dangerous goods

CAS: Nombre Chemical Abstract Service CLP: Classification, étiquetage et emballage

EC: European Commission

IATA: International Air Transport Association

IBC: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

IMDG: Code maritime international des marchandises dangereuses

**UN: United Nations** 

WGK: Wassergefährdungsklasse

#### 16.3. Advices related to any appropriate formation for workers

The informations contained in this safety data sheet is based on our current knowledge from the software *Colibrisk* created by the « Fédération régionale des services de santé au travail des Pays de la Loire » and are provided according to current european directives. These informations are intended to characterize the product and help to give safety instruction. However this document does not provide no expressed or implied guarantees about the product's properties

The study report from the 2 may 2013, made by the, réalisé par la « Direction des Services aux entreprises et de la Certification (DSC) » and the « Unité Produits et Nouvelles Technologies (PNEO) » allow us to determine about the classification « flammable solid substance». Then this classification only affects the ABMC products. This choice is supported too by the « Compte-rendu de visite périodique du conseiller à la sécurité pour le transport de marchandises dangereuses » made by Bureau Veritas the 06/09/2017

Only the dangerous substances whose the concentration is higher than 0.1% are inquired in the section 3 «COMPOSITION/INFORMATION ON INGREDIENTS».